



Corning Sub-basin GSA Committee Meeting Minutes

September 15, 2022 | 2:00 p.m.

Glenn-Colusa Irrigation District Pump Station
7854 County Rd 203, Orland, CA 95963

Public participation was also offered via teleconference

1. Call to Order

Grant Carmon called the meeting to order at 2:10 p.m.

2. Roll Call

	Party Representative	Member Agency
	Tom Arnold	County of Glenn
X	Grant Carmon	County of Glenn
	John Amaro	Glenn-Colusa Irrigation District
	Pete Knight	Glenn-Colusa Irrigation District
X	Julia Violich	Monroeville Water District
X	Seth Fiack	Monroeville Water District

Lisa Hunter conducted roll call as noted above. A quorum of members was not present.

3. Meeting Minutes

- a. *Approval of August 18, 2022 meeting minutes
 - A quorum of members was not present and no action was taken on Item 3.a.

4. Period of Public Comment

- No public comments were heard.

5. Staff Reports

- Ms. Hunter reported the Corning Subbasin facilitation support services application was submitted to the Department of Water Resources (DWR) and DWR has confirmed receipt of the application.
- Ms. Hunter confirmed the agreement with legal counsel was executed effective July 13, 2022.

- Ms. Hunter stated in regards to the Executive Order N-7-22 compliance, the well permit acknowledgement form was previously finalized and sent to Glenn County Environmental Health. She has been coordinating the process with Environmental Health staff.
 - Ms. Hunter stated the Funding RFP closed September 2, 2022 and three proposals were received. The proposals are currently being reviewed by the Funding Ad Hoc Committee.
 - Ms. Hunter shared upcoming topics for future meetings may include discussion on development of Bylaws and responding to the GCID letter regarding the CSGSA budget.
6. *Approve Corning Sub-basin GSA 2022/2023 Budget
- No discussion was held on Item 6 due to lack of a quorum.
7. *Authorize the Chair, or in the Chair's absence, the Vice Chair to sign for claims to be processed after approval by the CSGSA.
- No discussion was held on Item 7 due to lack of a quorum.
8. *Approve recommendation from the Corning Subbasin Advisory Board to split Corning Subbasin shared costs with one-third allocated to CSGSA and two-thirds allocated to the Tehama County GSA for this year.
- No discussion was held on Item 8 due to lack of a quorum.
9. Corning Subbasin Groundwater Sustainability Plan
- Ms. Hunter reported she is coordinating with the Tehama County Flood Control and Water Conservation District (TCFCWCD) on grant writing services and the Water Year 2022 Annual Report processes.
10. Corning Subbasin Advisory Board Report
- Ms. Hunter stated the Corning Subbasin Advisory Board (CSAB) met September 7, 2022. Discussion was focused on Corning Subbasin shared costs and how the Groundwater Sustainability Agencies (GSAs) could split the costs. A recommendation was included in the action items for today's meeting with one-third of the cost being allocation to the CSGSA and two-thirds being allocated to the TCFCWCD. The item will be brought to the next CSGSA meeting for consideration. This is expected to be a short-term agreement and discussion will take place on longer-term cost share in the future.
 - Ms. Hunter further reported there was also discussion on reviewing Projects and Management Actions (PMAs) included in the Groundwater Sustainability Plan in order to prioritize PMAs to recommend for potential inclusion in the upcoming

grant application. This discussion is expected to continue at the next meeting scheduled for October 5, 2022.

- Ms. Violich requested that the action item relating to the cost-share between the GSAs include language indicating this is intended for one year. Discussion ensued on cost share considerations, including GSA acreage.

11. Corning Sub-basin GSA Committee Member Reports and Comments

- Ms. Violich stated Monroeville Water District will be submitting a letter to the CSGSA regarding the budget item and their concerns and considerations for future funding requests.
- Mr. Carmon reported Glenn County has received 411 reports of water supply issues. Discussion ensued on the reporting process, information collected, trends, and the DWR reporting system.

12. Next Meeting

The next CSGSA is scheduled for October 20, 2022 at 2:00 p.m.

13. Adjourn

The meeting was adjourned at 2:26 p.m.